

enquiry@elmoindia.in +91 8652111415 | +91 9920241193 www.elmoindia.in

No-305, 9th D Main Road, 1st Block, HRBR Layout, Kalyana Nagar, Bengaluru, Karnataka-560043





ELMO BROCHURE

ELMO WEBSITE

PRESENT with ELMO Visualiser

2 INSTRUCT with Wireless Tablet or Interactive Pen



PRESENT a clear image of all teaching materials



Magnification with Clarity

The high quality and powerful zoom of ELMO visualiser enables you to capture every detail of your teaching materials

Flexible Camera Design

The adjustable camera head and arm allows you to project material from various angles.



Rotate 300 degrees (swing) 2 From various angles witht the arm can be reflected



Zoom dial & One With one hand,



PC-Free Presentation Tools



You can wirelessly control the ELMO visualiser's interactive presentation functions by using the provided remote control.

Capture & Record

The ELMO visualiser allows still images and video files to be saved on an external memory.





















Customize Your Classroom



ELMO+ Projector




ELMO + LCD Monitor



ELMO + Interactive Whiteboard

INSTRUCTING with FLMO Classroom Solutions



PC-Free Interactive Solution



The CRA-2 Wireless Tablet works directly with the ELMO Visualizer uina its built-in software.

The high quality and powerful zoom of ELMO visualiser enables you to capture every detail of your teaching materials.

ELMO + Wireless Tablet



Easy & Intuitive Operation

Even students can use the tablet to create presentations or answer questions very easily.



Plug & Play, Easy Set-up





Wirelessly Present & Instruct

Create presentations from anywhere in the classroom (within 15m)





www.elmoindia.in







+91 8652111415



Movable Navigation Toolbar

EIT software supports more interactive functions such as insert images, stamps, or add sticky notes.

Pencil

To configure the pen.
You can change the settings for the Pen
with "Color / Thickness of line" tool

Capture

To save the currently displayed screen images as a picture. Elements suuch as the Visualizer image that is displayed on the background.

Mode

To switch between PC

Annotation mode, PC Operation

Mode, Visualzier mode,

Whiteboard mode, and Teaching

Material Import Mode.

Record Video

To record the contents displayed on the screen as a video. The interval recording and the continuous recording can be selected from the Recording Setting in the Menu.



Science experiment video



Time-lapse video

Highlight

To configure the Marker. You can change the settings for the Marker with "Color / Thickness of the line" tool.

Eraser

- To delete all the drawing (texts and figures) on the screen.
- To selectively delete the drawing. Move the cursor to the area you want to delete and click.

Select

To change the Pen function to the shift / change size function when Compare Picture, Mack, Highlight or Scroll functions is used.

Undo

To redo the last editing operation (such as drawing with the Pen or deleting with the Eraser). There is a limit on the number of operations that can be undone.









ELMO BOARD







Octa-core CPU and Quad-core GPU



8GB RAM 128 GB HDD

ELMO Board Specifications

Display Screen size

EL65, 75, 86 3840×2160 Resolution

350 cd/m2 (M) - 450 cd/m2 (T) Brightness

Infrared interruption

3 x USB 3.0 + 1 x USB 2.0

178°(H/V)

20point OPS (Optional)

VGA Audio

OPS

Angle of view Touch panel **Touch** panel

PC connection **Touch Points**

HDMI Input ΑV

Audio

Output Video

Power Consumption

Weight 65' | 75' | 86'

Android OS

Bluetooth®

Speaker

Bezel 65'

Bezel 75'

ΑP

LAN Terminal Wireless LAN

Audio

Android 14

Bluetooth®5.2 20W x 2

210W | 290W | 450W 1484.60 × 909.88 × 87.2mm 1706.76 × 1044.14 × 87.29mm

41kg | 49kg | 66kg



Effortlessly engage your students with the most user-friendly interactive flat panel, the renowned Japanese brand, ELMO Board, now proudly MADE IN INDIA.





enquiry@elmoindia.in



ELMO BOARD

Item	Specifications	65"	75"	86"
Display				
	Screen size	65"	75"	86"
	Resolution	3840 (H) × 2160 (V)	3840 (H) × 2160 (V)	3840 (H) × 2160 (V)
	Brightness Angle	350 cd/m2 (M) -	350 cd/m2 (M) -	350 cd/m2 (M) -
	of view	450 cd/m2 (T) 178°(H/V)	450 cd/m2 (T) 178°(H/V)	450 cd/m2 (T) 178°(H/V)
Touch panel				
	Touch panel	IR Touch panel	IR Touch panel	IR Touch panel
	PC connection	OPS	OPS	OPS
	Number of touch	20	20	20
PC		OPS (Optional)	OPS (Optional)	OPS (Optional)
Input				
	HDMI	Yes (2 No. IN)	Yes (2 No. IN)	Yes (2 No. IN)
	DisplayPort	No	No	No
	USB Type-C	No	No	No
	AV	Through USB Ports (3xUSB 3.0 + 1xUSB 2.0)	Through USB Ports (3xUSB 3.0 + 1xUSB 2.0)	Through USB Ports (3xUSB 3.0 + 1xUSB 2.0)
	Audio	Yes (VGA Audio)	Yes (VGA Audio)	Yes (VGA Audio)
Output				
	Video	No / HDMI	No / HDMI	No / HDMI
	1100	(Optional)	(Optional)	(Optional)
	Audio	Yes (1 No.) - Earphone	Yes (1 No.) - Earphone	Yes (1 No.) - Earphone
Android OS		Android 14	Android 14	Android 14
LAN terminal		Yes (1 No.)	Yes (1 No.)	Yes (1 No.)
Wireless LAN		Yes	Yes	Yes
AP		Yes	Yes	Yes
Bluetooth®		Yes V5.2	Yes V5.2	Yes V5.2
Speaker		20W x 2	20W x 2	20W x 2
Power consumption		210W	290W	450W
Dimensions (Net)		1429 (H) × 804 (V) mm	1651 (H) × 929 (V) mm	1896 (H) × 1067 (V) mm
Dimensions 65'		1484.60 × 909.88	1706.76 × 1044.14 ×	1952.96 × 1184.41 ×
(Gross)		× 87.2mm	87.29mm	87.30mm
Weight		41Kg (Net) / 54Kg (Gross)	49Kg (Net) / 62Kg (Gross)	66Kg (Net) / 82Kg (Gross)

ELMO Board Detailed Specifications







VISUALIZERS



SPECIFICATION

MODEL	MX-P3	L-12G	
Effective Pixels	13MP CMOS	8.3-9.3 MP CMOS	
Resolution	4K Ultra HD	4K Ultra HD	
Zoom	16x Digital	12x Optical, 16x Digital	
Outputs	HDMI, RGB, USB 2.0	HDMI, RGB, USB 3.0	
Inputs	-	HDMI, RGB	
UVC Compliant	✓	~	
Built-in Microphone	✓	/	
Miracast Wireless Display	-	/	
Remote Control	-	/	
Network Connectivity	-	Wi-Fi, LAN	
Illumination LED	✓	/	
Weight	1.4lbs	7.1 lbs	

ELMO MX-P3

COMPACT VISUALIZERS FOR VIDEO CONFERENCE High Definition & High Frame Rate



--- HDMI/RGB/USB 2.0 Outputs



Lightweight-1.2lbs



16x Zoom in true

4k Ultra HD

Flexible







ELMO ACCESSORIES AND SOFTWARE



CRA-2 Wireless Tablet



Microscope adapter for ELMO L-12 series



ELMO Interactive Toolbox

The CRA-2 Wireless Tablet allows you to walk around the classroom to take a closer look at what the students are doing and engage them easily.

Show your class even the smallest details using the ELMO microscope adapter for the L-12G. The adapter is mounted onto the microscope's ocular, allowing the camera's optics to be attached.

EIT is a complimentary software for the ELMO Visualizer and classroom solutions.

ELMO Users



Kindergarten Lesson



Lesson



University / Collage Lesson



Medical Briefing / Training



Government Conference



Business Meeting / Event



Factory Inspection



enquiry@elmoindia.in +91 8652111415 | +91 9920241193 www.elmoindia.in

No-305, 9th D Main Road, 1st Block, HRBR Layout, Kalyana Nagar, Bengaluru, Karnataka-560043



Scan QR Code to Download BROCHURE



ELMO WEBSITE