



ELMO

Building a Brighter, Smarter Future

enquiry@elmoindia.in | support@elmoindia.in
+91 8652111415 | +91 86554 35634
www.elmoindia.in

No-305, 9th D Main Road, 1st Block, HRBR Layout,
Kalyana Nagar, Bengaluru, Karnataka-560043



ELMO BROCHURE



ELMO WEBSITE

VISUALIZERS



ELMO L-12G

4K INTERACTIVE
DOCUMENT CAMERA

KEY FEATURES



L-12G Comes along
with Remote



One Touch Auto focus

Zoom x192 (Optical
Zoom x12 + Digital x16)



Real 4K Output via
HDMI and USB



Adjustable Arm
and Camera Head



HDMI-USB Transformation

The ELMO L-12G is a versatile document camera designed to enhance teaching and presentations. With its 4K resolution, 12x optical zoom, and flexible arm, it captures detailed visuals from any angle. Ideal for classrooms and training sessions, it supports HDMI, VGA, and USB outputs, ensuring seamless integration with interactive panels and projectors.

ELMO ORIGINAL SOFTWARE

ELMO Interactive Toolbox (EIT) for Windows / Mac



- Zoom
- Rotate
- Freeze
- Annotation
- Capturing/Recording
- Whiteboard mode
- Highlight
- Mask
- Inserting images



Image Mate + Cloud (IM+C) Web-based App



No need to download anything but just open your Chrome browser and access <https://imagemate-c.com/>

- Zoom
- Rotate
- Freeze
- Annotation
- Capturing/Recording
- Whiteboard mode



Camera Specifications (L-12G)

Lens	f=4.67mm ~ 52.85mm (12x zoom lens) F3.2 ~ F3.8
Frame rate	30fps, 60fps(only 1080P and 720P supported)
Limit of focus adjustment	WIDE 50mm ~∞ TELE 200mm ~∞
Optical zoom	12x
Digital zoom	16x
Focus	Auto (One-push / Zoom sync), Manual
Image pick-up element	1/2.3" CMOS
Resolution (HDMI)	3840 × 2160 / 1920 × 1080 / 1280 × 720
Resolution (RGB)	1920 × 1080 / 1024 × 768
Resolution (USB)	3840 × 2160 / 2840 × 1536 / 1920 × 1080 / 1280 × 960 / 1280 × 720 / 1024 × 768 / 640 × 480
Image rotation	90° / 180°
Power source	DC12V (AC adapter AC100 ~ 240V)
Power consumption	22W
Input selection	Main / External (x2)
Output port	RGB output Mini Dsub 15P connector, female x1 HDMI output x1 Line-out φ 3.5mm stereo minijack x1
Input Port	RGB input Mini Dsub 15P connector, female x1 HDMI input x1 Mic-in φ 3.5mm stereo minijack x1
USB	USB2.0 host type A USB flash drive/mouse USB2.0 device type C image output
Memory Interface	SD card slot x1
Weight	Approx. 3kg (main body only)



**MICROSCOPE ADAPTER
FOR ELMO L-12 SERIES**



CRA-2 TABLET



VISUALIZERS

ELMO MX-P3

COMPACT VISUALIZERS
FOR VIDEO
CONFERENCE



ELMO IN PRACTICE

At University & School



At Business Meeting & Web Conference



As an interface between the analogue and digital world, ELMO MX-P3 enhances your presentation with or without a computer. It allows you to show paper documents, 3D objects or anything you want to highlight in detail to the whole audience. It is super slim and light weight. Take it anytime whenever you wish to make your best presentation and save it with a SD Card.

KEY FEATURES

Resolution up to 4K



13M CMOS Sensor Digital Zoom x 16



Only 22 mm Slim & 460 g Light



Interface Built In Microphone



ELMO ORIGINAL SOFTWARE

ELMO Interactive Toolbox (EIT) for Windows / Mac



- Zoom
- Rotate
- Freeze
- Annotation
- Capturing/Recording
- Whiteboard mode
- Highlight
- Mask
- Inserting images




Image Mate + Cloud (IM+C) Web-based App



No need to download anything but just open your Chrome browser and access <https://imagemate-c.com/> :

- Zoom
- Rotate
- Freeze
- Annotation
- Capturing/Recording
- Whiteboard mode



Camera Specifications (MX-3)

Image Sensor	1/3.06" CMOS
Effective Pixels	13M (4160x3120)
Zoom	Digital x16
Frame Rate	HDMI: 4K@30fps, FHD/720P/XGA@60fps USB: 4160x3120@15fps, 4K/FHD@30fps
Focus Range	100 mm ~ ∞
Focus Control	Auto (One push)
Shooting Area	374x281 mm@ Aspect 4:3
Resolution	4K (3840x2160) via USB/HDMI
Zoom Key	Yes
Auto Focus Key	Yes
lighting	White LED
Foldable Mechanical Arm	Yes
Adjustable Arm /Head	Yes / Yes
Freeze	Yes
Annotation Comparison	Yes, by PC software
Recording	Yes, onto PC/SD
Optional Apps	ImageMate4 for Windows, ELMO Interactive Toolbox (EIT)
USB	X 1 (Type-C, Version 2.0)
HDMI	OUT X 1 (Type A, Version 1.4)
RGB	OUT X1
SD Slot	X 1 (Recording only. No playback.)
Built-In Mic	Yes
Power Consumption	2.5W (USB), 6W (HDMI/RGB)
Dimension	(Set-up) W343 x D82 x H302 mm/ (Folded) W290 x D82 x H22 mm
Weight	Approx. 460 g (Main Unit)

WHITEBOARD STAGE




MICROSCOPE ATTACHMENT



CRA-2 TABLET



ELMO BOARD



4K Ultra HD
Display



Wireless
Connectivity



Android 14



Octa-core CPU and
Quad-core GPU



8GB RAM
128 GB SSD

Effortlessly engage your students with the most user-friendly interactive flat panel, the **renowned Japanese**  **brand**, ELMO Board, now proudly **MADE IN INDIA**.



www.elmoindia.in



Enquiry@elmoindia.in



+91 86554 35634



ELMO BOARD




Detailed Specifications

Item	Specifications	65"	75"	86"
Display				
	Screen size	65"	75"	86"
	Resolution	3840 (H) × 2160 (V)	3840 (H) × 2160 (V)	3840 (H) × 2160 (V)
	Brightness	350 cd/m2 (M) - 450 cd/m2 (T)	350 cd/m2 (M) - 450 cd/m2 (T)	350 cd/m2 (M) - 450 cd/m2 (T)
	Angle of view	178°(H/V)	178°(H/V)	178°(H/V)
Touch panel				
	Touch panel	IR Touch panel	IR Touch panel	IR Touch panel
	PC connection	OPS	OPS	OPS
	Number of touch	20	20	20
PC Input		OPS (Optional)	OPS (Optional)	OPS (Optional)
	HDMI	Yes (2 No. IN)	Yes (2 No. IN)	Yes (2 No. IN)
	DisplayPort	No	No	No
	USB Type-C	No	No	No
	AV	Through USB Ports (3xUSB 3.0 + 1xUSB 2.0)	Through USB Ports (3xUSB 3.0 + 1xUSB 2.0)	Through USB Ports (3xUSB 3.0 + 1xUSB 2.0)
	Audio	Yes (VGA Audio)	Yes (VGA Audio)	Yes (VGA Audio)
Output				
	Video	No / HDMI (Optional)	No / HDMI (Optional)	No / HDMI (Optional)
	Audio	Yes (1 No.) - Earphone	Yes (1 No.) - Earphone	Yes (1 No.) - Earphone
Android OS		Android 14	Android 14	Android 14
LAN terminal		Yes (1 No.)	Yes (1 No.)	Yes (1 No.)
Wireless LAN		Yes	Yes	Yes
AP		Yes	Yes	Yes
Bluetooth®		Yes V5.2	Yes V5.2	Yes V5.2
Speaker		20W x 2	20W x 2	20W x 2
Power consumption		210W	290W	450W
Dimensions (Net)		1429 (H) × 804 (V) mm	1651 (H) × 929 (V) mm	1896 (H) × 1067 (V) mm
Dimensions 65' (Gross)		1484.60 × 909.88 × 87.2mm	1706.76 × 1044.14 × 87.29mm	1952.96 × 1184.41 × 87.30mm
Weight		41Kg (Net) / 54Kg (Gross)	49Kg (Net) / 62Kg (Gross)	66Kg (Net) / 82Kg (Gross)



AI UNLEASHED

Seamless Integration of Online and Offline AI for Effortless Efficiency



Interactive Collaborations with multi-platform compatibility, seamlessly designed for meetings, education, and beyond.

- Elevate Your Sessions with cutting-edge presentation and whiteboarding tools.
- Unleash Creativity with flowsheets and mind maps, providing a canvas for your ideas.
- Real-Time Collaboration for seamless project and task synchronization.
- Breakout Rooms that foster group interaction and ignite creativity.
- Engaging Video Conferencing with interactive, collaborative tools to replace mundane meetings.
- High-Quality Video and 3D Content available at your fingertips for an immersive experience.

ELMO Users



Kindergarten
Lesson



School
Lesson



University / Collage
Lesson



Medical
Briefing / Training



Government
Conference



Business
Meeting / Event



Factory
Inspection

enquiry@elmoindia.in | support@elmoindia.in
+91 86554 35634 | +91 8652111415
www.elmoindia.in

No-305, 9th D Main Road, 1st Block, HRBR Layout,
Kalyana Nagar, Bengaluru, Karnataka-560043



ELMO BROCHURE



ELMO WEBSITE